

## New Product Sheet

Price List LT-NPS0419  
Effective Date: April 4, 2019



### **FULL FREIGHT ALLOWANCE ON ANY QUANTITY!**

Order any quantity of our new valves or fittings on this sheet and receive **FFA on the first order!** Full Freight Allowance is applicable on the first order only.

Any Legend item may be added, excluding cast iron, HyperPure PE-RT/Legend Flex tube and radiant flooring products.

**The FFA offer Expires July 5th, 2019.**

**VALVES**

**P-202NL LegendPress™ Ball Valve w/ Drain**

No lead forged brass  
Third party certified  
ANSI/NSF 61, 372  
250 CWP



P-202NL

Part No.	Size	Description	List Price	Cs/Ct
101-213NL	1/2"	Press Drainable Ball Valve	19.99	60/5
101-214NL	3/4"	Press Drainable Ball Valve	29.41	30/5
101-215NL	1"	Press Drainable Ball Valve	42.84	16/4

**T-514NL Flange Sillcock**

No lead forged brass  
ANSI/NSF 61, 372  
125 CWP



T-514NL

S-514NL

107-179NL	1/2"	Flange Sillcock FNPT	17.73	72/12
107-180NL	3/4"	Flange Sillcock FNPT	17.99	40/10
107-181NL	1/2"	Flange Sillcock SWT	17.73	72/12
107-182NL	3/4"	Flange Sillcock SWT	17.99	60/10

**T-552PNL F1960 Multi-Turn Frostfree Sillcock**

Traditional & no lead forged brass  
ASTM F1960  
ANSI/NSF 61-9  
ASSE 1019A Certified  
125 CWP



T-552PNL  
F1960

108-061	1/2"x4"	T-552P F1960	28.72	40/10
108-061NL	1/2"x4"	T-552PNL F1960	32.83	40/10
108-062	1/2"x6"	T-552P F1960	29.72	40/10
108-062NL	1/2"x6"	T-552PNL F1960	34.00	40/10
108-063	1/2"x8"	T-552P F1960	31.06	40/10
108-063NL	1/2"x8"	T-552PNL F1960	35.55	40/10
108-064	1/2"x10"	T-552P F1960	32.20	40/10
108-064NL	1/2"x10"	T-552PNL F1960	36.69	40/10
108-065	1/2"x12"	T-552P F1960	33.00	40/10
108-065NL	1/2"x12"	T-552PNL F1960	37.79	40/10
108-066	1/2"x14"	T-552P F1960	33.99	40/10
108-066NL	1/2"x14"	T-552PNL F1960	38.79	40/10

**InstaLoc® 1/4 Turn Push-Fit CP Supply Stop**

No lead forged brass  
ANSI/NSF 61-9  
125 CWP, max temp 120°



T-596NL  
Push x OD

T-595NL  
Push x OD

**Bulk pack carton of 60 pcs.**

114-943NLB	1/2" x 3/8"	T-595NL Push x OD	629.34	1
114-953NLB	1/2" x 3/8"	T-596NL Push x OD	617.60	1

**LegendPress™ Fittings**

**Press Fittings**

ANSI/ASME B16.51, 16.22, B1.20.1  
ANSI/NSF 61



Press Reducing Coupling



Press x Flange Adapter



Press x FNPT Adapter

Part No.	Size	Description	List Price	Cs/Ct
450-175P	1"	Press x Flange Adapter	174.15	14/1
450-176P	1-1/4"	Press x Flange Adapter	248.19	14/1
450-177P	1/1/2"	Press x Flange Adapter	273.99	7/1
450-178P	2"	Press x Flange Adapter	307.80	4/1
450-179P	2-1/2"	Press x Flange Adapter	309.62	4/1
450-180P	3"	Press x Flange Adapter	375.25	3/1
450-181P	4"	Press x Flange Adapter	419.81	3/1
450-535P	1-1/4" x 1/2"	Press Reducing Coupling	71.51	100/1
450-709P	2-1/2"	Press x FNPT Adapter	232.91	36/1
450-710P	3"	Press x FNPT Adapter	381.46	24/1

**Press x F1807 PEX Adapter**

No lead/DZR forged brass  
ASTM F1807  
ANSI/NSF 14 & 61  
ASME B16.51



Press x F1807 PEX Adapter

450-853P	1/2"	Press x F1807 PEX Adapter	6.59	240/30
450-854P	3/4"	Press x F1807 PEX Adapter	10.11	200/25
450-855P	1"	Press x F1807 PEX Adapter	14.40	120/30
450-856P	1-1/4"	Press x F1807 PEX Adapter	23.99	48/24
450-857P	1-1/2"	Press x F1807 PEX Adapter	40.99	32/16
450-858P	2"	Press x F1807 PEX Adapter	69.04	20/10

**Press x F1960 PEX Adapter**

No lead/DZR forged brass  
ASTM F1960  
ANSI/NSF 14 & 61  
ASME B16.51



Press x F1960 PEX Adapter

450-863P	1/2"	Press x F1960 PEX Adapter	8.40	240/30
450-864P	3/4"	Press x F1960 PEX Adapter	12.60	200/25
450-865P	1"	Press x F1960 PEX Adapter	20.52	120/30
450-866P	1-1/4"	Press x F1960 PEX Adapter	34.99	48/24
450-867P	1-1/2"	Press x F1960 PEX Adapter	54.99	32/16
450-868P	2"	Press x F1960 PEX Adapter	95.40	20/10

**Press x Press x F1807 PEX Tee**

No lead/DZR forged brass  
ASTM F1807  
ANSI/NSF 14 & 61  
ASME B16.51



Press x Press x F1807 PEX Tee

450-872P	3/4" x 1/2"	Press x Press x F1807 PEX Tee	25.08	180/30
450-873P	1" x 1/2"	Press x Press x F1807 PEX Tee	33.36	150/25
450-874P	1" x 3/4"	Press x Press x F1807 PEX Tee	35.28	120/30
450-875P	1-1/4" x 1/2"	Press x Press x F1807 PEX Tee	46.99	96/24
450-876P	1-1/4" x 3/4"	Press x Press x F1807 PEX Tee	47.04	64/16
450-877P	1-1/2" x 1/2"	Press x Press x F1807 PEX Tee	68.99	40/10
450-878P	1-1/2" x 3/4"	Press x Press x F1807 PEX Tee	69.99	40/10
450-879P	1-1/2" x 1"	Press x Press x F1807 PEX Tee	81.60	40/10

### LegendPress™ Fittings

#### Press x Press x F1960 PEX Tee

No lead/DZR forged brass  
 ASTM F1960  
 ANSI/NSF 14 & 61  
 ASME B16.51



Press x Press x  
 F1960 PEX Tee

Part No.	Size	Description	List Price	Cs/Ct
450-882P	3/4" x 1/2"	Press x Press x F1960 PEX Tee	25.99	180/30
450-883P	1" x 1/2"	Press x Press x F1960 PEX Tee	33.84	150/24
450-884P	1" x 3/4"	Press x Press x F1960 PEX Tee	38.28	120/16
450-885P	1-1/4" x 1/2"	Press x Press x F1960 PEX Tee	47.99	96/10
450-886P	1-1/4" x 3/4"	Press x Press x F1960 PEX Tee	50.99	64/20
450-887P	1-1/2" x 1/2"	Press x Press x F1960 PEX Tee	68.16	40/20
450-888P	1-1/2" x 3/4"	Press x Press x F1960 PEX Tee	71.04	40/20
450-889P	1-1/2" x 1"	Press x Press x F1960 PEX Tee	81.84	40/10

#### Press x FNPT Tee

No lead/DZR forged brass  
 ANSI/NSF 14 & 61  
 ASME B16.51



Press x FNPT  
 Tee

450-893P	1/2"	Press x FNPT Tee	21.74	180/30
450-894P	3/4"	Press x FNPT Tee	36.92	100/25
450-895P	1"	Press x FNPT Tee	85.15	80/20
450-896P	1-1/4"	Press x FNPT Tee	123.02	40/20
450-897P	1-1/2"	Press x FNPT Tee	197.50	30/15
450-898P	2"	Press x FNPT Tee	256.78	20/10
450-899P	3/4" x 1/2"	Press x FNPT Tee	29.50	120/20
450-900P	1" x 3/4"	Press x FNPT Tee	44.62	120/20

#### Press x MNPT Elbow

No lead/DZR forged brass  
 ANSI/NSF 14 & 61  
 ASME B16.51



Press x MNPT  
 Elbow

450-903P	1/2"	Press x MNPT Elbow	21.93	180/30
450-904P	3/4"	Press x MNPT Elbow	35.04	100/25
450-905P	1"	Press x MNPT Elbow	52.79	80/20
450-906P	1-1/4"	Press x MNPT Elbow	71.85	40/20
450-907P	1-1/2"	Press x MNPT Elbow	98.23	30/15
450-908P	2"	Press x MNPT Elbow	138.76	20/10

#### Press x FNPT Elbow

No lead/DZR forged brass  
 ANSI/NSF 14 & 61  
 ASME B16.51



Press x FNPT  
 Elbow

450-913P	1/2"	Press x FNPT Elbow	14.51	180/30
450-914P	3/4"	Press x FNPT Elbow	23.05	100/25
450-915P	1"	Press x FNPT Elbow	39.78	80/20
450-916P	1-1/4"	Press x FNPT Elbow	66.23	40/20
450-917P	1-1/2"	Press x FNPT Elbow	86.59	30/15
450-918P	2"	Press x FNPT Elbow	137.45	20/10

**PEX Fittings**

**PEX x Insert Adapter**

No lead/DZR forged brass  
ASTM F1807  
ANSI/NSF 14 & 61  
ASME 16.51



F1807 PEX x Insert Adapter

Part No.	Size	Description	List Price	Cs/Ct
460-804NL	3/4"	F1807 PEX x Insert Adapter	8.29	100/25
460-805NL	1"	F1807 PEX x Insert Adapter	13.79	100/20
460-806NL	1-1/4"	F1807 PEX x Insert Adapter	21.33	80/10

**PEX x Insert Adapter**

No lead/DZR forged brass  
ASTM F1960  
ANSI/NSF 14 & 61  
ASME 16.51



F1960 PEX x Insert Adapter

462-804NL	3/4"	F1960 PEX x Insert Adapter	9.56	100/25
462-805NL	1"	F1960 PEX x Insert Adapter	16.39	100/20
462-806NL	1-1/4"	F1960 PEX x Insert Adapter	26.26	80/10

**PEX x Sweat Elbow**

No lead/DZR forged brass  
ASTM F1960  
ANSI/NSF 14 & 61  
ASME 16.51



F1960 PEX x Sweat Elbow

462-136NL	1/2"	F1960 PEX x Sweat Elbow	3.93	250/25
462-137NL	3/4"	F1960 PEX x Sweat Elbow	7.62	250/25

**PEX x CPVC Adapter**

No lead/DZR forged brass  
ASTM F1960  
ANSI/NSF 14 & 61



F1960 PEX x CPVC Adapter

302-453NL	1/2"	F1960 PEX x CPVC Adapter	5.70	400/50
302-454NL	3/4"	F1960 PEX x CPVC Adapter	9.58	300/50
302-455NL	1"	F1960 PEX x CPVC Adapter	14.96	200/25

**Test Plug**

PPSU  
ASTM F2159  
ANSI/NSF 14 & 61



Test Plug

461-413	1/2"	F2159 Temporary Test Plug	0.39	2000/200
461-414	3/4"	F2159 Temporary Test Plug	0.63	1000/100
461-415	1"	F2159 Temporary Test Plug	0.92	500/50

**HYDRONICS ACCESSORIES**

**Balancing Valve w/ Optional Flow Meter**


Forged brass



Balancing Valve  
(can be used with  
LegendConnect).



Flow meter for  
precise balancing 0-13GPM



LegendConnect System

Part No.	Size	Description	List Price	Cs/Ct
----------	------	-------------	------------	-------

**With Flow Meter**


800-774M	3/4"	MNPT Balancing Valve	237.96	1
800-774F	3/4"	FNPT Balancing Valve	237.96	1
800-774S	3/4"	SWT Balancing Valve	234.68	1
800-774LP	3/4"	LegendPress Balancing Valve	257.68	1
800-774VC	3/4"	ISO Comp Balancing Valve	279.96	1
800-774VF	3/4"	ISO FNPT Balancing Valve	277.74	1
800-775M	1"	MNPT Balancing Valve	237.96	1
800-775S	1"	SWT Balancing Valve	234.68	1

**Without Flow Meter**

800-774M-NF	3/4"	MNPT Balancing Valve	166.26	1
800-774F-NF	3/4"	FNPT Balancing Valve	166.26	1
800-774S-NF	3/4"	SWT Balancing Valve	164.98	1
800-774LP-NF	3/4"	LegendPress Balancing Valve	185.93	1
800-774VC-NF	3/4"	ISO Comp Balancing Valve	201.22	1
800-774VF-NF	3/4"	ISO FNPT Balancing Valve	199.04	1
800-775M-NF	1"	MNPT Balancing Valve	166.26	1
800-775S-NF	1"	SWT Balancing Valve	164.98	1

**Duo Heat Transfer Plate**

UL Listed



Duo Heat  
Transfer Plate

800-363	3/8" - 1/2"	Duo Heat Transfer Plate	17.10	20/1
---------	-------------	-------------------------	-------	------

**Double Wall Heat Exchanger**

UL Listed



Double Wall  
Heat Exchanger

807-004	3/4"	Double Wall HX 14 Plate	778.08	10
807-005	3/4"	Double Wall HX 38 Plate	1,368.50	12
807-034	3/4"	Compact DW HX 14 Plate	407.61	40
807-035	3/4"	Compact DW HX 20 Plate	508.99	40
807-036	3/4"	Compact DW HX 24 Plate	644.72	20



300 N. Opdyke Rd. | Auburn Hills, MI 48326  
Phone: 800-752-2082 | web: www.legendvalve.com

