

# Large Diameter PEX Fittings F1960



Price List LT-PXLG0919  
Effective Date: September 3, 2019



# F1960 Plastic PEX Fittings

For PEX fittings systems utilizing cold expansion, Legend offers several configurations in sizes from 3/8" to 2" in plastic. The assortment includes PPSU multi-port tees commonly used in remote manifold plumbing systems.

Legend's PPSU (polyphenylsulfone) PEX fittings are manufactured to meet ASTM F1960. They are third party certified ANSI/NSF 61 and ANSI/NSF 14.



## CE PEX Coupling

ASTM F1960  
PPSU, ANSI/NSF 61 & 14



PEX Coupling

Part No.	Size	List Price	Case/Qty.
<b>F1960 PEX x F1960 PEX</b>			
461-916	1-1/4"	10.22	1/10
461-917	1-1/2"	13.53	1/10
461-912	2"	38.86	1/5

## CE PEX Reducing Coupling

ASTM F1960  
PPSU, ANSI/NSF 61 & 14



PEX Reducing Coupling

<b>F1960 PEX x F1960 PEX</b>			
461-921	1-1/4" x 3/4"	9.36	10
461-922	1-1/4" x 1"	8.89	10
461-986	1-1/2" x 3/4"	11.08	1/10
461-987	1-1/2" x 1"	11.22	1/10
461-988	1-1/2" x 1-1/4"	12.94	1/10
461-989	2" x 1-1/2"	36.08	1/5

## CE PEX Elbow

ASTM F1960  
PPSU, ANSI/NSF 61 & 14



PEX Elbow

<b>F1960 PEX x F1960 PEX</b>			
461-906	1-1/4"	17.97	10
461-907	1-1/2"	22.94	10
461-902	2"	61.11	5

## CE PEX Test Plug

ASTM F1960  
PPSU, ANSI/NSF 61 & 14



PEX Test Plug

<b>F1960 PEX</b>			
461-946	1-1/4"	7.89	10
461-947	1-1/2"	10.19	10
461-999	2"	22.09	5

**CE PEX Tee**ASTM F1960  
PPSU, ANSI/NSF 61 & 14

PEX Tee

Part No.	Size	List Price	Case/Qty.
<b>F1960 PEX x F1960 PEX x F1960 PEX</b>			
461-926	1-1/4"	23.83	10
461-927	1-1/2"	32.56	10
461-928	2"	80.53	5

**CE PEX Reducing Tee**ASTM F1960  
PPSU, ANSI/NSF 61 & 14

PEX Reducing Tee

Part No.	Size	List Price	Case/Qty.
<b>F1960 PEX x F1960 PEX x F1960 PEX</b>			
461-937	1-1/4" x 1" x 3/4"	14.08	10
461-938	1-1/4" x 1" x 1"	16.53	10
461-939	1-1/4" x 1-1/4" x 1/2"	15.98	10
461-940	1-1/4" x 1-1/4" x 3/4"	16.58	10
461-941	1-1/4" x 1-1/4" x 1"	18.19	10
461-942	1-1/2" x 1" x 3/4"	18.31	10
461-951	1-1/2" x 1-1/4" x 3/4"	21.77	10
461-952	1-1/2" x 1-1/4" x 1"	23.55	10
461-953	1-1/2" x 1-1/4" x 1-1/4"	26.00	10
461-954	1-1/2" x 1-1/2" x 1/2"	18.75	10
461-955	1-1/2" x 1-1/2" x 3/4"	22.11	10
461-956	1-1/2" x 1-1/2" x 1"	24.31	10
461-957	1-1/2" x 1" x 1"	20.69	10
461-968	3/4" x 3/4" x 1"	26.10	10/50
461-969	1-1/2" x 1" x 1-1/2"	28.42	10
461-970	1-1/2" x 1-1/2" x 1-1/4"	27.75	10
461-958	2" x 1-1/2" x 3/4"	43.83	5
461-959	2" x 1-1/2" x 1"	47.19	5
461-960	2" x 1-1/2" x 1-1/4"	55.53	5
461-961	2" x 1-1/2" x 1-1/2"	59.11	5
461-962	2" x 1-1/2" x 2"	70.61	5
461-963	2" x 2" x 1/2"	48.72	5
461-964	2" x 2" x 3/4"	53.22	5
461-965	2" x 2" x 1"	58.22	5
461-966	2" x 2" x 1-1/4"	62.67	5
461-967	2" x 2" x 1-1/2"	66.44	5

**CE PEX Vertical / Horizontal Multi-Port Tee**ASTM F1960  
PPSU, ANSI/NSF 61 & 14

PEX Vertical Multi-Port Tee

Part No.	Size	List Price	Case/Qty.
<b>F1960 PEX x F1960 PEX x F1960 PEX</b>			
461-423	3/4" Vertical Tee - 3 Outputs - 3/4"	21.77	10
461-424	3/4" Vertical Tee - 4 Outputs - 3/4"	20.31	10
461-446	3/4" Horizontal Tee - 4 Outputs - 1/2"	20.33	10



PEX Horizontal Multi-Port Tee

### CE PEX Multi-Port Closed Tee

ASTM F1960  
PPSU, ANSI/NSF 61 & 14



Multi-Port Closed Tee

Part No.	Size	List Price	Case/Qty.
<b>F1960 PEX x Closed</b>			
461-295	1" x Closed - 4 Outlets - 1/2"	38.83	10
461-297	1" x Closed - 6 Outlets - 1/2"	34.76	10
461-305	3/4" x Closed - 7 Outlets - 3/4"	31.89	10
461-306	3/4" x Closed - 8 Outlets - 3/4"	44.56	10
461-315	1" x Closed - 7 Outlets - 3/4"	50.86	10
461-316	1" x Closed - 8 Outlets - 3/4"	64.29	10
461-318	1" x Closed - 10 Outlets - 3/4"	76.01	10
461-320	1" x Closed - 12 Outlets - 3/4"	35.33	10
461-323	1-1/4" x Closed - 3 Outlets - 3/4"	26.10	10

### CE PEX Multi-Port Tee

ASTM F1960  
PPSU, ANSI/NSF 61 & 14



Multi-Port Tee

<b>F1960 PEX x F1960 PEX x F1960 PEX</b>			
461-287	3/4" x 3/4" - 6 Outlets - 1/2"	34.50	10
461-337	1" x 3/4" - 6 Outlets - 1/2"	35.33	10
461-345	1" x 1" - 4 Outlets - 1/2"	26.23	10
461-347	1" x 1" - 6 Outlets - 1/2"	85.43	10
461-334	1" x 3/4" - 3 Outlets - 1/2"	25.53	10
461-335	1" x 3/4" - 4 Outlets - 1/2"	25.78	10
461-354	1-1/4" x 1-1/4" - 3 Outlets - 3/4"	85.43	10
461-364	2" x 2" - 3 Outlets - 1"	21.01	10

### CE PEX Opposing Multi-Port Tee

ASTM F1960  
PPSU, ANSI/NSF 61 & 14



PEX Opposing Multi-Port Tee



PEX Multi-Port Closed Tee

<b>F1960 PEX x F1960 PEX x F1960 PEX</b>			
461-374	3/4" x 3/4" - 3 Outlets - 1/2"	12.48	10
461-375	3/4" x 3/4" - 4 Outlets - 1/2"	15.98	10
461-377	3/4" x 3/4" - 6 Outlets - 1/2"	11.59	10
<b>F1960 PEX x Closed</b>			
461-384	3/4" x Closed - 3 Outlets - 1/2"	12.16	10
461-385	3/4" x Closed - 4 Outlets - 1/2"	20.75	10
461-390	3/4" x Closed - 8 Outlets - 1/2"	18.84	10



Scan me to  
connect to our  
**E-commerce**  
platform!



300 N. Opdyke Rd. | Auburn Hills, MI 48326 | web: [www.legendvalve.com](http://www.legendvalve.com) | Phone: 800-752-2082